

T 8 N

R 6 W



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Greene County are stored on microfilm Reel 4660 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

1
Township 8 North Range 6 West 2nd Mer. Ind.ⁿ

out - C. L. South Boundary. Var.

Map On the S. side of sec. 36,
40.00 Set gr. sec. post. in prairie no timber
50.00 Leave the prairie
80.00 Set a post cor. sec. 35 & 36 from which
a B. Oak 18 in. dia. bears N 38 E 48 ft. dist.
4a Do. 30 " " " S 88 W 65 " "

West On the S. side of sec. 35,
40.00 Set a gr. sec. post from which
a W. Oak 16 in. dia. bears S 75 E 32 ft. dist.
4a Do. 16 " " " N 57 W 19 " "
60.00 Enter a prairie ex. st. & S,
75.00 Leave the Do. (15 Good Oak land.)
80.00 Set a post cor. sec. 34 & 35 from which
a W. Oak 16 in. dia. bears N 37 W 24 ft. dist.
4a Do. 18 " " " N 86 E 46 " "

West On the S. side of sec. 34,
30.00 Enter a prairie
40.00 Set a gr. sec. post. no bearings
70.00 Leave the prairie
80.00 Set a post cor. sec. 33 & 34 from which
a Hickory 16 in. dia. bears S 70 W 14 ft. dist.
4a W. Oak 10 " " " S 50 E 83 " "

West On the S. side of sec. 33,
40.00 Set gr. sec. post from which
a W. Oak 16 in. dia. bears S 88 E 10 ft. dist.
no other near
80.00 Set a post cor. sec. 32 & 33 from which
a Hickory 16 in. dia. bears S 82 E 20 ft. dist.
4a Do. 16 " " " S 86 W 21 " "
Level Oak land on this line,

T. 8 N. R. 6 W. 2nd Mer. Ind.

West On the S. side of sec. 32,
 40.00 Set a gr. sec. post. no bearings
 80.00 Set post cor. sec. 31 & 32 from which
 a W. Oak 30 in. dia. bears N 39 W 21 M. dist.
 & a Hickory 18 " " " S 80 E 38 " "
 Barren Sweet Prairie on this mile,

West On the S. side of sec. 31,
 20.00 Enter a large prairie
 40.00 Set gr. sec. post. in Do. from which
 a W. Oak 12 in. dia. bears S 80 W 55 M.,
 no other timber near,
 80.00 Set a tempy, Town cor. post. in a plain
 Surveyed in 1811
 By Alex^r. Holmes, D. S.

East Boundary.
Var.

North On the E. side of sec. 36,
 40.00 Set gr. sec. post. no bearings
 80.00 Set a post cor. sec. 25 & 36 from which
 a Hickory 12 in. dia. bears N 83 W 83 M. dist.,
 & no other near
 Land chiefly prairie

North On the E. side of sec. 25,
 40.00 Set gr. sec. post. from which
 a Hickory 12 in. dia. bears S 53 E 122 M.,
 & a - no more timber near
 80.00 Set post cor. sec. 24 & 25 from which
 a Hickory 15 in. dia. bears N 57 W 25 M. dist.
 & a W. Oak 24 " " " S 35 E 54 " "
 Level Oak & Hickory land

North On the E. side of sec. 24
 40.00 Set gr. sec. post. in prairie, no timber

T. 8 N. R. 6 W. 2nd Mer. Ind.

80.00 Set a post cor. sec. 13 & 24, in swamp
 no timber. Land swamp & prairie

North On the E. side of sec. 13,
 28.50 To a W. Oak 14 in. dia. in the line,
 40.00 Set gr. sec. post. from which
 a B. Oak 24 in. dia. bears S 60 W 58 M. dist.
 & a Do. 20 " " " N 37 E 42 " "
 80.00 Set a post cor. sec. 12 & 13 from which
 a B. Oak 24 in. dia. bears S 64 W 3 M. dist. &
 & a Hickory 16 " " " N 64 E 27 " "
 Level Oak land &

North On the E. side of sec. 12
 35.50 To a B. Oak 24 in. dia. in the line
 40.00 Set gr. sec. post. from which
 a B. Oak 16 in. dia. bears S 74 W 17 M. dist.,
 & a Do. 15 " " " " "
 80.00 Set a post cor. sec. 11 & 12 from which
 a W. Oak 15 in. dia. bears S 10 E 83 M. dist.,
 Land level & Oak timber same as last,

North On the E. side of sec. 1,
 7.50 To a W. Oak 16 in. dia. in the line
 40.00 Set gr. sec. post. from which
 a W. Oak 3 in. dia. bears N 55 W 20 M. dist.,
 & a Hickory 3 " " " S 40 E 53 " "
 80.00 Set a tempy, Town corner post.,
 Poor Oak land &
 April 30th 1811. Surveyed by
 Alex^r. Holmes, Dep. Sur.

North Boundary.
Var.

West On the S. side of sec. 36 T. 9 N. R. 6 W.
 40.00 Set gr. sec. post. from which

T. 8 N. R. 6 W. 2nd Mer. Ind.^a

6. L. a Sapling 12 in. dia. bears N 23 W 25th M.
 Va. Hickory 18 S 44 W. 11 M. dist.

43.00 To a Brook 10 lbs. wide cr. et.

80.00 Set a post cor. sec. 35 & 36 from which
 a Hickory 12 in. dia. bears N 64 W 12 M. dist.
 Va. Do. 9 " " " N 49 E 20 " "

Land wet bottom & the timber is Hickory
 Ash Elm &c.

West On the S. side of sec. 35 T. 8 N. R. 6 W.

40.00 Set gr. Sec. post from which
 an Elm 12 in. dia. bears N 38 E 9 M. dist.
 Va. Maple 16 " " " N 18 W 32 " "

78.50 Enter a pond

80.00 Sec. cor. sec. 34 & 35 in pond,
 Land &c. is same as last.

West On S. side of sec. 34 T. 8 N. R. 6 W.

10.00 To a Brook 250 lbs. wide cr. et.

36.00 " " Do. " " " " S. E.

40.00 Set a post cor. sec. from which
 a Hickory 12 in. dia. bears N 73 W 6 M. dist.
 Va. Elm 15 " " " N 69 E 32 " "

80.00 Set a post cor. sec. 34 & 33 from which
 a Hickory 24 in. dia. bears S 50 W 12 M.
 Va. R. Oak 24 " " " N 50 E 15 " dist.
 Land rich bottom & the timber is Sugar
 Ash, Elm &c.

West On the S. side of sec. 33 T. 8 N. R. 6 W.

40.00 Set gr. Sec. post from which
 a Gum 18 in. dia. bears East 5 M. dist.
 Va. Do. 14 " " " N 56 W 26 " "

80.00 Set a post cor. sec. 32 & 33 from which
 a Gum 15 in. dia. bears N 70 W 4 M. dist.
 an Elm 16 " " " S 49 E 48 " "

T. 8 N. R. 6 W. 2nd Mer. Ind.^a

6. L. Wet bottom land & timber Hickory Ash Elm &c.

West On the S. side of sec. 32 T. 8 N. R. 6 W.

20.00 To a Brook 10 lbs. wide cr. S. E.

40.00 Set gr. Sec. post from which
 an Elm 24 in. dia. bears N 33 W 12 M. dist.
 Va. Ash 12 " " " S 87 E 48 " "

70.00 To a Brook 20 lbs. wide cr. S. E.

80.00 Set a post corner to sec. 31 & 32 from which
 an Elm 12 in. dia. bears N 7 E 26 M. dist.
 Va. Hickory 12 " " " S 56 W 19 " "
 (no Description given.)

West On the S. side of sec. 31 T. 8 N. R. 6 W.

15.00 Enter a prairie

40.00 Set a gr. Sec. post in prairie with timber

79.50 Intersect S. boundary, 150 lbs. S. of T. 8 N. R. 6 W.
 post. Set post cor. Towns 849th Range
 67.7. W. No timber within 30 chains,
 April 27th 1811. Surveyed by
 Alex. Holmes, Depy. Surveyor.

West Boundary.

Var.

North On the E. side of sec. 36 T. 8 N. R. 7 W.

40.00 Set gr. Sec. post from which no bearings

80.00 Set a post cor. sec. 25 & 36 from which
 a B. Oak 14 in. dia. bears N 30 E 15 M. dist.
 & no other timber near
 Land all prairie,

North On the E. side of sec. 25 T. 8 N. R. 7 W.

8.00 To a Brook 5 lbs. wide cr. E.

40.00 Set gr. Sec. post no timber

80.00 Set post cor. sec. 24 & 25 from which
 no bearings. Timber scarce,

T. 8 N. R. 6 W. 2nd Mer. Ind.

North On the E. side of sec. 24 T. 8 N. 6 W.
 40.00 Set gr. sec. post & no timber,
 80.00 Set post in N. end of plain cor. sec.
 24 & 13 from which a
 W. Oak 24 in. dia. bears S 62 E 125 M. dist.
 & a Hickory 16 " " N 8 W 77 " "
 Land plains &c

North On the E. side of sec. 13 T. 8 N. 6 W.
 30.00 Enter prairie
 40.00 Set gr. sec. post - no timber
 80.00 Set post cor. sec. 12 & 13 in plain
 a W. Oak 18 in. dia. bears N 14.37 W.
 Oak land & plains -

North On the E. side of sec. 12 T. 8 N. 6 W.
 14.37 To a W. Oak 18 in. dia. in the line,
 38.11 " " Hickory 12 " " " "
 40.00 Set gr. sec. post from which
 a Hickory 12 in. dia. bears South 189 M.
 80.00 Set a post cor. sec. 12 & 13 from which
 a Hickory 12 in. dia. bears N 37 W 38 M. dist.
 & a B. Oak 5 " " " S 29 E 40 " "
 Land barrens &c

North On the E. side of sec. 1 T. 8 N. 6 W.
 20.00 To a Brook 10 M. wide cor. S. E.
 40.00 Set gr. sec. post in plain no timber,
 80.00 Set a Lampy. Town corner post,
 Surveyed in 1811.
 By Alex. Holmes, D. S.

Subdivisions

North Between sections 35 & 36
 40.00 Set gr. sec. post from which
 a W. Oak 18 in. dia. bears S 20 E 65 M. dist.

T. 8 N. R. 6 W. 2nd Mer. Ind.

6. Sec. & a W. Oak 24 in. dia. bears N 14 E 60 M. dist.
 80.00 Set a post cor. sec. 25, 26, 35 & 36 from which
 a B. Oak 24 in. dia. bears S 30 E 15 M. dist.
 & a W. Oak 18 " " " N 33 W 114 " "
 This mile level in different soil & the timber
 is Oak, Hickory, &c, N. G. Hickory &c,

East On Random between sec. 25 & 36
 30.00 Enter prairie
 40.00 Set lampy. gr. sec. post in prairie
 80.00 To the E. line of sec. 20 M. N. of post,
 Land same as last & part prairie

West Correct the line between sec. 25 & 36
 40.00 Set gr. sec. post, no bearings,
 80.00 To the sec. corner,

North Between sections 25 & 26,
 40.00 Set a gr. sec. post from which
 a B. Oak 20 in. dia. bears S 2 E 55 M. dist.
 & a W. Oak 18 " " " N 82 W 46 " "
 80.00 Set a post cor. sec. 23, 24, 25 & 26 from which
 a B. Oak 30 in. dia. bears S 25 W 60 M. dist.
 & a B. 36 " " " N 24 E 86 " "
 Land level & the timber poor Oak Hickory &c,
 & much brk. Hickory &c,

East On Random between sec. 24 & 25
 40.00 Set a Lampy. gr. sec. post
 80.00 Intersect the E. line of sec. at post,

West Correct the line between sec. 24 & 25
 40.00 Set gr. sec. post from which
 a Hickory 10 in. dia. bears S 76 E 11 M. dist.
 & a B. Oak 15 " " " N 76 W 41 " "
 Land level poor soil Oak Hickory, N. G. Hickory.

T. 8 N. R. 6 W. 2nd Mer. Ind.

80.00 To the sec. corner,

North Between sections 23 & 24

40.00 Set gr. sec. post from which
a B. Oak 30 in. dia. bears S 83 E 11 1/2 m. dist.,
Va Do. 20 " " " N 67 W 47 " "

55.00 To a Bk. Oak 24 " " in the line

75.00 " " creek 15 m. wide cr. E,

75.30 Enter a prairie

80.00 Set a post cor. sec. 13, 14, 23 & 24
in prairie - no bearings, Land level
Lincoln Oak & Hickory L. N. G., Hickory Oak & L.
Indifferent soil -

East On Random between sec. 13 & 24

7.00 To a creek 15 m. wide cr. E,

40.00 Set a temp. gr. sec. post,

80.00 To the E. line of sec. at post

West Correct the line between sec. 13 & 24

40.00 Set gr. sec. post from wh. no bearings

80.00 Sec. cor. all wit prairie

North Between sections 13 & 14

35.00 Entered timbered land

40.00 Set gr. sec. post from which
a Hickory 14 in. dia. bears S 60 W 19 1/2 m. dist.,
Va Do. 18 " " " N 36 W 56 " "80.00 Set a post cor. sec. 13, 14, 11 & 12 from wh.
a Hickory 20 in. dia. bears S 45 W 100 m. dist.,
Va B. Oak 10 " " " N 10 W 43 " "
Land level & the timber is Oak Hickory & L.,
Ind. Gt. L. Saparas Hickory & L.

East On Random between sec. 12 & 13,

40.00 Set a temp. gr. sec. post,

T. 8 N. R. 6 W. 2nd Mer. Ind.

80.00 Intersect the E. line of sec. at post

West Correct the line between sec. 12 & 13,

40.00 Set gr. sec. post from which
a W. Oak 14 in. dia. bears S 10 W 25 1/2 m. dist.,
Va W. Oak 20 " " " N 20 E 23 " "

80.00 To the section corner,

North Between sections 11 & 12,

40.00 Set gr. sec. post from which

a Hickory 18 in. dia. bears East 200 m. dist.,
Va B. Oak 30 " " " S 70 W 27 " "80.00 Set a post cor. sec. 1, 2, 11 & 12 from which
a Hickory 12 in. dia. bears N 35 E 25 1/2 m. dist.,
Va B. Oak 18 " " " S 60 W 68 " "
This mile level & the timber is Oak Hickory
Ind. Gt. L. Hickory & L. poor soil,

East On Random between sections 11 & 12

40.00 Set a temp. gr. sec. post

80.15 Intersect the E. line of sec. at post

West Correct the line between sec. 11 & 12

40.75 Set gr. sec. post from which
a W. Oak 24 in. dia. bears N 78 W 13 1/2 m. dist.,
Va Do. 18 " " " N 12 E 33 " "

80.15 To the sec. corner,

Land level & the timber Oak & Hickory
& the Ind. Gt. L. is Hickory & L.

North Between sections 11 & 12

38.00 To a creek 50 m. wide cr. E,

40.00 Set gr. sec. post, in open barrens
no bearings,76.55 Intersect N. boundy. set post for
cor. sec. 11 & 12 from which

T. 8 N. R. 6 W. 2nd Mer. Ind.

80.00 To the sec. corner,

North Between sections 23 & 24

40.00 Set gr. sec. post from which
a B. Oak 30 in. dia. bears S 83 E 11 1/2 m. dist.,
& a Do. 20 " " " N 67 W 47 " "

55.00 To a Blk. Oak 24 " " in the line

75.00 " a creek 15 m. wide in E,

75.30 Enter a prairie

80.00 Set a post cor. sec. 13, 14, 23 & 24
in prairie - no bearings, Land level
Lime Oak & Hickory & N. G. Hickory Oak &
Indifferent Soil

East On Random between sec. 13 & 24

7.00 To a creek 15 m. wide in NE,

40.00 Set a tempy. gr. sec. post,

80.00 To the E. line of sec. at post

West Correct the line between sec. 13 & 24

40.00 Set gr. sec. post from wh. no bearings

80.00 Sec. cor. all out prairie

North Between sections 13 & 14

35.00 Entered timbered land

40.00 Set gr. sec. post from which
a Hickory 14 in. dia. bears S 60 W 19 1/2 m. dist.,
& a Do. 18 " " " N 36 W 56 " "80.00 Set a post cor. sec. 13, 14, 11 & 12 from wh.
a Hickory 20 in. dia. bears S 45 W 100 m. dist.,
& a B. Oak 10 " " " N 10 W 43 " "
Land level & the timber is Oak Hickory &
Mud, Gt. Sassafras Hickory & c.

East On Random between sec. 12 & 13.

40.00 Set a tempy. gr. sec. post,

T. 8 N. R. 6 W. 2nd Mer. Ind.

80.00 Intersect the E. line of sec. at post,

West Correct the line between sec. 12 & 13.

40.00 Set gr. sec. post from which
a W. Oak 14 in. dia. bears S 11 W 25 1/2 m. dist.,
& a W. Oak 20 " " " N 20 E 23 " "

80.00 To the section corner,

North Between sections 11 & 12.

40.00 Set gr. sec. post from which
a Hickory 18 in. dia. bears East 200 m. dist.,
& a B. Oak 30 " " " S 70 W 27 " "80.00 Set a post cor. sec. 1, 2, 11 & 12 from which
a Hickory 12 in. dia. bears N 35 E 25 m. dist.,
& a B. Oak 18 " " " S 60 W 68 " "
This mile level & the timber is Oak Hickory
Mud, Gt. Hickory & c. poor soil.

East On Random between sections 11 & 12

40.00 Set a tempy. gr. sec. post

80.15 Intersect the E. line of sec. at post

West Correct the line between sec. 11 & 12

40.75 Set gr. sec. post from which
a W. Oak 24 in. dia. bears N 78 W 13 1/2 m. dist.,
& a Do. 18 " " " N 12 E 33 " "

80.15 To the sec. corner,

Land level & the timber Oak & Hickory
& the mud, Gt. is Hickory & c.

North Between sections 11 & 12

38.00 To a creek 50 m. wide in E,

40.00 Set gr. sec. post in open barrens
no bearings,76.55 Intersect N. boundy. set post for
cor. sec. 1 & 2 from which

T. 8 N. R. 6 W. 2nd New Ind^a

Co. L. a Hickory 18 in dia. bears S 58° 45' W.

4 a W. Oak 15 " " " N 35° W 18 " dit.

Land level & the timber Oak & Hickory

& the mud gk. is Hickory & "

North Between sec. 34 & 35. found at end of subdivision,

East On Random between sec. 26 & 35

40.00 Set a temp. gr. sec. post.

80.00 To the E. line of sec. at post in prairie

West Correct the line between sec. 26 & 35

40.00 Set gr. sec. post from which

a B. Oak 20 in dia. bears N 88° 25' W dit.

4 a W. Oak 18 " " " S 44° W 46 " "

80.00 To the Sec. corner, Land level & the
soil poor, & the timber is Oak Hickory &
mud gk. Hickory & Oak & "

North Between sections 26 & 27

35.00 To a B. Oak 36 in dia. in the line

40.00 Set gr. sec. post from which a

B. Oak 20 in dia. bears N 4 E 135 W,

4 a Hickory 15 " " " S 17° W 50 " dit.

80.00 Set a post cor. sec. 22, 23, 26 & 27, in prairie
no bearings Land level & the timber
is Oak & Hickory & mud gk. Hickory & saprophy
& " Indifferent soil

East On Random between sec. 23 & 26

40.00 Set a Temp. gr. sec. post

80.00 Intersect the E. line of sec. at post

West Correct the line between sec. 23 & 26

40.00 Set gr. sec. post from which

a B. Oak 20 in dia. bears N 75° E 106 W,

4 a - 20 " " " N 75° W 100 "

This mile level soil indifferent

T. 8 N. R. 6 W. 2nd New Ind^a

Co. L. & the timber is Oak Hickory & mud gk.

Hickory & "

80.00 To the Sec. corner,

North Between sections 22 & 23

40.00 Set gr. sec. post in prairie, no bearings,

80.00 Set post cor. sec. 14, 15, 22 & 23 from wh.
no bearings. Land all prairie

East On Random between sec. 14 & 23

40.00 Set a Temp. gr. sec. post

45.00 Enter timbered land

75.00 Enter prairie

80.00 Intersect the E. line of sec. at post,

West Correct the line between sec. 14 & 23

40.00 Set gr. sec. post in prairie, no bearings

80.00 To the Sec. corner, Land level &
the timber is Oak & " h. g. Sapsucker &
February 5th 1815.

North Between sections 14 & 15

25.00 Enter Timbered land

40.00 Set gr. sec. post from which

a B. Oak 15 in dia. bears N 60° W 60 W dit.

a Do. 6 " " " S 75° W 44 " "

80.00 Set a post cor. sec. 10, 11, 14 & 15 from wh.

a Hickory 15 in dia. bears S 15° E 44 W dit.

4 a W. Oak 15 " " " N 20° W 70 " "

Land level & the timber is Hickory &
mud gk. Hickory & " poor soil

East On Random between sec. 11 & 14

40.00 Set a Temp. gr. sec. post

80.00 Intersect the E. line of sec. at post

T. & N. R. O. W. 2nd Mer. Ind.

West Correct the line between sec. 11 & 14
 40.00 Set gr. sec. post from which
 a Hickory 10 in. dia. bears N 52 E 53 M.
 & a B. Oak 24 " " S 52 W 26. Dist.
 Land level & the timber is Oak Hickory,
 mud, etc., Hickory &c. poor soil,

North Between sections 10 & 11

40.00 Set gr. sec. post from which
 a Hickory 14 in. dia. bears N 45 E 45 M. Dist.
 & a B. 15 " " " N 81 W 50 " "
 80.00 Set a post cor. sec. 2, 3, 10 & 11 from which
 a Hickory 14 in. dia. bears S 74 W 20 M. Dist.
 & a B. Oak 7 " " " N 86 E 28 " "
 Land broken & the timber Oak Hickory &c.,
 mud, etc., Oak & poor soil —

East On Random between sec. 2 & 11

40.00 Set a temp. gr. sec. post
 80.00 Intersect the E. line of sec. at post,

West Correct the line between sec. 2 & 11

40.00 Set gr. sec. post from which
 a B. Oak 18 in. dia. bears N 40 W 10 M. Dist.
 & a W. Oak 15 " " " N 50 E 25 " "
 80.00 To the sec. corner, Land, timber Oak,
 mud, etc., Oak & Hickory &c.,

North Between sections 2 & 3,

12.50 To a Creek 50 M. wide ex. S. E.
 40.00 Set gr. sec. post from which
 a Maple 8 in. dia. bears N 86 E 10 M. Dist.
 & an Ash 8 " " " N 71 W 9 " "
 76.50 Intersect N. boundry, in a pond
 (mill pond,) Land level & the timber
 is Ash, Elm &c. mud, etc., hardwood.

T. & N. R. O. W. 2nd Mer. Ind.

to L. & Tolerable soil, through the ditch,

North Between sections 33 & 34

30.00 Enter a prairie
 40.00 Set gr. sec. post in prairie, no bearing,
 80.00 Set a post cor. sec. 27, 28, 33 & 34
 in prairie no bearings,
 Level land 1st E timbered with Oak
 Hickory &c. mud, etc., Oak Hickory &c.,
 last E mile prairie & poor soil,

East On Random between sec. 33 & 34

7.00 Enter timbered land
 40.00 Set a temp. gr. sec. post,
 80.00 Intersect the E. line of sec. at post,

West Correct the line between sec. 33 & 34

40.00 Set gr. sec. post from which
 a B. Oak 30 in. dia. bears N 10 W 40 M.
 & a Hickory 14 " " " N 88 W 56 " Dist.
 80.00 To the sec. corner, Land level & the
 timber is Hickory Oak &c. M. G. Hickory &c.,

North Between sections 27 & 28, in prairie

25.00 Enter Timbered land
 40.00 Set gr. sec. post from which
 a Hickory 15 in. dia. bears N 46 E 85 M. Dist.
 & a Hickory 15 " " " S 83 W 58 " "
 80.00 Set a post cor. sec. 21, 22, 27 & 28,
 a W. Oak 36 in. dia. bears S 30 W 14 M. Dist.
 & a Hickory 14 " " " N 80 E 65 " "
 Land level & the timber is Oak & Hickory
 mud, etc., Hickory &c. —

East On Random between sec. 22 & 27

40.00 Set a temp. gr. sec. post,

T. 8 N. R. 6 W. 2nd Mer. Ind.

80.00 Intersect E. line of sec. at post,

West On true line between sec. 22 & 27

40.00 Set a post for gr. sec. from which
a Hickory 10 in. dia. bears S 85° E 60 ft. dist.
+ a Do. 15 " " " N 60° W 100 " "80.00 To the Sec. corner. Land level & the
timber is Oak & Hickory &c. & the
mid. Gth. is Oak & Hickory &c.

North Between sections 21 & 22.

35.00 To a Bl. Oak 18 in. dia. in the line

40.00 Set gr. sec. post from which
a Hickory 8 in. dia. bears S 30° W 6 ft.
+ a Do. 10 " " " N 3° E 16 ft. dist.

60.00 To a Branch 8 ft. wide in. Co.

80.00 Set a post cor. sec. 15. 16. 21 & 22,
a Hickory 18 in. dia. bears S 45° W 65 ft. dist.
+ a Do. 14 " " " N 30° W 84 " "
Land level & the timber is Hickory
Oak &c. mid. Gth. Hickory &c.

East On Random between sec. 15 & 22,

30.00 Enter a prairie

40.00 Set a Temp. gr. sec. post in Do.

80.00 To the E. line of sec. at post,

West Correct the line between sec. 15 & 22

40.00 Set gr. sec. post in prairie
No bearings — { Level land }

80.00 To the sec. corner. { poor soil }

North Between sections 15 & 16

40.00 Set gr. sec. post from which
a W. Oak 18 in. dia. bears N 10° W 35 ft.
+ a Hickory 14 " " " S 13° E 20 " dist.T. 8 N. R. 6 W. 2nd Mer. Ind.

80.00 Set a post cor. sec. 9. 10. 15 & 16

a Hickory 15 in. dia. bears N 15° W 60 ft.
+ a W. Oak 18 " " " S 10° E 55 " dist.
Land level & the timber is Hickory Oak,
mid. Gth. Hickory &c. poor soil.

East On Random between sec. 10 & 15

40.00 Set a Temp. gr. sec. post

80.00 Intersect the E. line of sec. at post,

West Correct on true line between sec. 10 & 15

40.00 Set a gr. sec. post from which
a B. Oak 24 in. dia. bears N 9° W 25 ft. dist.
+ a Hickory 8 " " " S 9° E 25 " "80.00 To the Sec. corner. Land level & the
timber is Oak, Hickory &c. mid. Gth. Hickory,
& poor soil &c.

North Between sections 9 & 10

40.00 Set gr. sec. post in open barrens

80.00 Set post cor. sec. 3. 4. 9 & 10 from which
a W. Oak 18 in. dia. bears N 25° W 7 ft. dist.
+ a Hickory 10 " " " S 10° E 150 " "
Land level & the timber is Oak &c.,
& the underground is Hickory &c.

East On Random between sec. 3 & 10

40.00 Set a Temp. gr. sec. post

80.00 Intersect the E. line of sec. at post,

West Correct the line between sec. 3 & 10

40.00 Set a gr. sec. post from which
- an ash 15 in. dia. bears N 9° W 25 ft. dist.
+ a Sapling 7 " " " S 9° E 25 " "
Land level & the timber is Oak Hickory
& the mid. Gth. is Hickory Oak &c.

T. & N. R. Co. W. 2nd Mer. Ind.^a

80.00 To the section corner,

North Between sections 3 & 4

20.00 Enter a prairie

23.00 To a Creek 50 Mr. wide on E,

40.00 Set gr. sec. post in prairie, no bearings,

45.00 Enter timbered land

76.50 Intersect the N. boundy. & set post,
for cor. of sec. 3 & 4 from which
a Hickory 14 in. dia. bears S 55 W 20 M,
& an Elm 14 " " " S 15 E 46 "
This mile level & the timber is
Oak & Hickory &c. mid. 9th. Hickory &c.

North Between sections 32 & 33,

40.00 Set gr. sec. post in bushy barrens

80.00 Set post cor. sec. 28, 29, 32 & 33.

in bushy barrens, No bearings —

Land level & the timber is Oak Hickory
Sapafas & Hazel mid. 9th. &c.

East On Random between sec. 28 & 33

40.00 Set a tempy. gr. sec. post

60.00 Enter prairie

80.00 Intersect the E. line of sec. at post,
Land. Brushy barrens.

West Correct true line between sec. 28 & 33

40.00 Set gr. sec. post in brushy barrens

80.00 To the sec. cor. Land level & brushy
barrens & the timber is Oak & Hickory

North Between sections 28 & 29

40.00 Set a gr. sec. post from which
an Oak 8 in. dia. bears S 70 W 25 M,
no other bearings

T. & N. R. Co. W. 2nd Mer. Ind.^a

80.00 Set post cor. sec. 20, 21, 28 & 29 from which
a Hickory 8 in dia. bears N 10 E 100 M. 1st,
& a Do. 12 " " " S 11 W 150 " "
Land level & the timber is Oak &c.
mid. 9th. Oak & Hickory &c. poor soil.

East On Random between sec. 21 & 28

40.00 Set tempy. gr. sec. post

80.00 Intersect the E. line of sec. at post,

West Correct the line between sec. 21 & 28,

40.00 Set gr. sec. post from which

a Hickory 12 in dia. bears S 36 W 30 M,
& a Hickory 15 " " " N 3 E 65 " dist.

80.00 To the sec. corner, Land level & the
timber is Oak Hickory &c. N. E. Hickory &c.
poor soil —

North Between sections 20 & 21

40.00 Set gr. sec. post from which

a B. Oak 24 in dia. bears N 40 W 25 M. dist.
& a W. Oak 25 " " " N 50 E 87 " dist.

80.00 Set a post cor. sec. 16, 17, 20 & 21 from wh.
a B. Oak 20 in dia. bears N 20 W 17 M. 1st,
& a Do. 20 " " " N 89 E 50 " "
Land level & the timber Oak & Hickory
under growth Hickory Oak &c. poor soil

East On Random between sec. 16 & 21

30.00 Enter prairie

40.00 Set tempy. gr. sec. post in prairie

60.00 Enter timbered land

80.00 Intersect the E. line of sec. at post

West Correct the line between sec. 16 & 21

40.00 Set gr. sec. post in prairie, no bearings

T. 8 N. R. 6 W. 2nd Mer. Ind.^a

C. L. Land level & the timber is Oak &
Hickory &c. N. E. Hickory Oak &c. poor soil,
80.00 To the sw. cor. February 7th 1815.

North Between sections 16 & 17

40.00 Set gr. sec. post from which
a Hickory 10 in dia. bears N 31 W 24th M.
& a W. Oak 20 " " N 50 E 56th M.

70.00 Enter prairie

80.00 Set a post on sec. 8 & 9. 16 & 17 from which
no bearings - being in prairie
Land level & the timber is Oak & Hickory
& the mud, etc. is Oak Hickory &c. poor soil.

East On Random between sec. 9 & 16

40.00 Set tempy. gr. sec. post in prairie
80.00 Intersect the E. line of sec. 9 at post.

West Correct the line between sec. 9 & 16

40.00 Set gr. sec. post. in prairie
no bearings
80.00 To the sw. corner, Land level & the
timber Oak &c. mud, etc. Hickory & Oak &c.
Indifferent soil -

North Between sections 8 & 9

15.00 Enter timbered land

40.00 Set gr. sec. post from which
a B. Oak 20 in dia. bears N 10 E 36th M.
& a Do. 36 " " " N 46 E 96 "

50.00 Enter a prairie

80.00 Set a post on sec. 4, 5, 8 & 9 in prairie
no bearings. Land level & the timber
is Oak &c. mud, etc. is Hickory &c.
rather indifferent soil.

T. 8 N. R. 6 W. 3rd Mer. Ind.^a

East On Random between sec. 4 & 9

40.00 Set tempy. gr. sec. post in prairie
75.00 Leave prairie & Enter timber,
80.00 To the E. line of sec. 4 at post.

West Correct the line between sec. 4 & 9

40.00 Set gr. sec. post. in prairie.
no bearings - {Land all }
80.00 To the sw. corner, {wet prairie}

North Between sections 4 & 5

40.00 Set gr. sec. post in open prairie,
no bearings given.
76.40 To the N. boundary of Township,
set post on sec. 4 & 5 from which
a Span Oak 36 in dia. bears N 72 E 15th M. dist.
& a Hickory 24 " " " N 70 W 14 " "
Land level & the timber is Oak Hickory
& the mud, etc. is Oak &c.

North Between sections 31 & 32

15.00 Enter a prairie
40.00 Set gr. sec. post in Do. no bearings
57.00 To a Creek 10 M. wide cr. N. E.
80.00 Set post on sec. 29, 30, 31 & 32
in prairie & no bearings -
Land all wet prairie -

East On Random between sections 29 & 32

40.00 Set tempy. gr. sec. post in prairie
60.00 Leave prairie & Enter timber.
80.00 Intersect the E. line of sec. 4 at post.

West Correct the line between sec. 29 & 32

40.00 Set gr. sec. post in prairie no bearings
80.00 To the sw. cor. Land wet prairie.

T. 8. N. R. 6 W. 2nd. Mer. Ind.

- West Between sections 30 & 31
 40.00 Set gr. sec. post in prairie
 no bearings
 81.30 To the W. boundg. (Range line)
 Land all wet prairie.

North Between sections 29 & 30

- 40.00 Set gr. sec. post in prairie
 no bearings
 80.00 Set post cor. sec. 19, 20, 29 & 30 in prairie
 no bearings. - all wet prairie.

East On Random between sec. 20 & 29

- 5.00 Enter timbered land
 40.00 Set gr. sec. post (Temporary.)
 80.00 To the E. line of sec. at post.

West Correct the line between sec. 20 & 29

- 40.00 Set gr. sec. post from which
 a W. Oak 15 in. dia. bears N 30 W 50 the dist.
 & a Do. 20 " " " S 10 E 45 " "
 80.00 To the sec. corner. Land level & the
 timber is Oak & h. Mud, gth. Hickory & c.

West Between sections 19 & 30

- 10.00 To Timbered land
 40.00 Set gr. sec. post from which
 a Hickory 15 in. dia. bears N 62 E 57 the
 & a B. Oak 20 " " " S 5 W 15 " dist.
 52.00 Enter a prairie
 82.00 To Range line or West boundg.
 Land level & the timber is Hickory Oak & c.
 & the Mud, gth. is Hickory & c.

North Between sections 19 & 30

- 10.00 Enter timbered land,

T. 8. N. R. 6 W. 3rd. Mer. Ind.

- 40.00 Set gr. sec. post from which
 a Hickory 15 in. dia. bears N 51 W 15 the dist.
 & a B. Oak 20 " " " S 40 E 35 " "
 80.00 Set a post cor. sec. 17, 18, 19 & 20 from which
 a Hickory 8 in. dia. bears N 45 E 70 the dist.
 & a Do. 10 " " " S 10 E 100 " "
 Land level & the timber is Hickory & Oak
 Mud, gth. Hickory & c. poor soil.

East On Random between sec. 17 & 20

- 40.00 Set a temp. gr. sec. post, banner,
 80.00 Intersect the E. line of sec. at post.

West Correct the line between sec. 17 & 20

- 40.00 Set gr. sec. post in open banner
 Land level & the timber is Oak Hickory
 Mud, gth. Oak & c. indifferent soil,
 80.00 To the sec. corner.

West Between sections 18 & 19

- 40.00 Set gr. sec. post. in open banner
 81.60 To the Range line, or W. boundg.
 Set post cor. sec. 18 & 19. no bearings.
 Land level & the timber is Oak & c.
 Mud, gth. is Oak Hickory & c. poor soil.

North Between sections 17 & 18

- 40.00 Set gr. sec. post in open banner no bearings
 60.00 Enter a prairie
 80.00 Set a post cor. sec. 7, 8, 17 & 18, in prairie
 no bearings - Land banner & prairie

East On Random between sec. 8 & 17

- 40.00 Set a temp. gr. sec. post in prairie
 50.00 Enter Timbered land
 75.00 " Prairie again

T. 8 N. R. 6 W. 2nd Mer. Ind.

80.00 Entered the E. line of sec. at post

Post On Line line between sec. 8 & 17

40.00 Set a gr. sec. post in prairie -

80.00 To the sec. cor. (= no bearings
Land level & the timber is Oak & h.f. same,

West Between sections 7 & 18, in prairie

40.00 Set gr. sec. post in prairie no bearings

79.50 To the Range line, in prairie,
Set post cor. sec. 7 & 18, no bearings,
Prairie & poor soil -

North Between sections 7 & 8, in prairie

40.00 Set gr. sec. post in prairie no bearings

84.00 ~~Intersect~~ Set post cor. sec. 5 & 7 & 8 in prairie
no bearings. Land prairie - poor soil,

East On Random between sec. 5 & 8,

40.00 Set a temp. gr. sec. post in prairie

80.00 Intersect the E. line of sec. at post,

West Correct the line between sec. 5 & 8,

40.00 Set gr. sec. post in prairie
no bearings, in different soil,

80.00 To the sec. post, - Land same,

West Between sections 6 & 7,

40.00 Set gr. sec. post in prairie

79.30 Intersect the W. line of Town (Range line)
in prairie - set post cor. sec. 6 & 7,
no bearings, all prairie poor soil,

North Between sections 5 & 6,

35.00 Enter Timbered land

40.00 Set gr. sec. post from which

T. 8 N. R. 6 W. 2nd Mer. Ind.

Gr. L. an Elm 14 in. dia. bears N 26 W 23 th. dist,

+ a Bl. Oak 18 " " " S 35 E 57 " "

76.88 To the N. boundry, & set post cor. sec. 5 & 6,

a Sapafas 10 in. dia. bears S 82 W 38 th. dist,

+ an Elm 15 " " " S 42 E 62 " "

Land level & the timber is Oak & the
under growth, Hickory &c. -Surveyed by James M. Donald D. S.
For John M. Donald Dep. Sur.
in the year 1815. -Note. The following line was omitted in its
proper place through mistakes. -

North Between sections 34 & 35

40.00 Set gr. sec. post from which

a Hickory 14 in. dia. bears S 38 W 35 th. dist,

+ a W. Oak 24 " " " N 38 E 50 " "

80.00 Set post cor. sec. 26, 27, 34 & 35 from which

a Bl. Oak 20 in. dia. bears S 52 E 3 th. dist,

+ a Do. 36 " " " N 52 W 35 " "

Land poor soil, level, Limb. Oak Hick. &c.

Mud. & th. Sapafas &c. -

Surveyed in 1815. by James M. Donald D. S.
For John M. Donald. Dep. Sur.